

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/27/2006
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 465154	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 06/15/2006
--	---	--	---


NAME OF PROVIDER OR SUPPLIER BERKSHIRE REHAB AND COMFORT CARE	STREET ADDRESS, CITY, STATE, ZIP CODE 370 WEST 500 NORTH OREM, UT 84057
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

F9999	FINAL OBSERVATIONS Based on the recertification and complaint survey conducted 6/14/06 through 6/15/06, it was determined that the facility was in compliance with the requirements of 42 CFR Part 483, Subpart B, Requirements for Long Term Care Facilities. No deficiencies were written.	F9999		
-------	--	-------	--	--

Utah Department of Health
6/27/06
JUN 28 2006

Bureau of Health Facility Licensing,
Certification and Resident Assessment

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE 	TITLE ADMINISTRATOR	(X6) DATE 6/26/06
---	-------------------------------	-----------------------------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.